

World First !

Miya **ROBO-10**

Swing golf club with rotating body
It's the like a pro swing !



 MIYAMAE CO.,LTD

1-2-32 Aramoto Higashi Osaka Japan
TEL 06-6782-1010 FAX 06-6782-1248
<http://www.miyaepoch.jp>

FISHING TACKLE CATALOG 2015

Miya Epoch®

Deep
Sea
Fishing

The Pioneer of Electric and Electronic Fishing Reels
Since 1967

Miya Epoch made the first electric fishing reel over 48 years ago, and no company in the world has more experience in research, design, development and production in this area. Today, we applied our knowledge to develop the most sophisticated reel with new types.



CZ-10HP

CZ-10HP(12V)

Max.Winding Speed : 90m/min
Max.Hoisting Power : 110kg(242lbs)

CZ-10HP(24V)

Max.Winding Speed : 90m/min
Max.Hoisting Power : 115kg(254lbs)

Electric Fishing Reel
COMMAND Z-10HP
High Power

NEW PRODUCT

PAT.

Model No.	Maximum Drag kg (lbs.)	Hoisting Power kg (lbs.)	Winding Speed m/min	Line Capacity PE Line/m	Reel Weight kg (lbs.)	Product code
CZ-10HP (12V)	40(88)~ 110(242)	110(242)	90	#10-1,600 #12-1,400	5.3(11)	0441
CZ-10HP (24V)	40(88)~ 110(242)	115(254)	90	#15- 900 #20- 800		0442

MADE IN JAPAN



CZ-10SP

CZ-10SP(12V)

Max.Winding Speed : 90m/min
Max.Hoisting Power : 110kg(242lbs)

CZ-10SP(24V)

Max.Winding Speed : 90m/min
Max.Hoisting Power : 115kg(254lbs)

Electric Fishing Reel
COMMAND Z-10SP
SPECIAL

NEW PRODUCT

PAT.

Model No.	Maximum Drag kg (lbs.)	Hoisting Power kg (lbs.)	Winding Speed m/min	Line Capacity PE Line/m	Reel Weight kg (lbs.)	Product code
CZ-10SP (12V)	40(88)~ 110(242)	110(242)	90	#10-1,600 #12-1,400	5.3(11)	0443
CZ-10SP (24V)	40(88)~ 110(242)	115(254)	90	#15- 900 #20- 800		0444

MADE IN JAPAN



CZ-30

CZ-30 (24V)

Max. Winding Speed : 120m/min.
Max. Hoisting Power : 120kg (264lbs.)

Product Description
A newly developed CZ-30 is perfect for fishing tougher and larger fish. The heavy duty gear and well constructed body can withstand long hours of fishing. An Auto tension control (A.T.C.) system and full Command system will help you reduce time and energy during fighting. When you are tired, you can set fishing tension and let A.T.C. take over. The Miya Epoch CZ-30 has a new A.T.C. system that can play and fight fish for you. Great reel for professional and commercial use.

Electric Fishing Reel
COMMAND Z-30

PAT.

Model No.	Maximum Drag kg (lbs.)	Hoisting Power kg (lbs.)	Winding Speed m/min	Line Capacity PE Line/m	Reel Weight kg (lbs.)	Product code
CZ-30	40 (88)~ 110 (242)	120 (264)	120	#15-1,600 #20-1,200 #30- 900	6.3 (13.9)	0421

D.C.24V ONLY

MADE IN JAPAN

When you use the “Auto Tension Control Function”
We managed to catch a huge bluefin tuna.

DATE : MAY. 15. 2013
PLACE : THE OFFING OF OKINAWA
ISHIGAKI ISLAND
SIZE : 2m90cm
WEIGHT : 400kg
USE MODEL : CZ-20 (24V)



CZ-20



CZ-20 (12V)
Max.Winding Speed : 110m/min.
Max.Hoisting Power : 110kg(242lbs.)

CZ-20 (24V)
Max.Winding Speed : 120m/min.
Max.Hoisting Power : 115kg(253lbs.)

Electric Fishing Reel COMMAND Z-20 PAT.						
Model No.	Maximum Drag kg (lbs.)	Hoisting Power kg (lbs.)	Winding Speed m/min	Line Capacity PE Line/m	Reel Weight kg (lbs.)	Product code
CZ-20 (12V)	40 (88)~ 110 (242)	110 (242)	110	#10-2,000 #20-1,000 #12-1,600 #30- 700	5.9 (13)	0411
CZ-20 (24V)	40 (88)~ 110 (242)	115 (253)	120	#15-1,200		0412

MADE IN JAPAN

Product Description
Newly developed ATC Automatic Tension Control System pull large fish automatically.
Hoisting power from 99-220 lbs. Included all Miya Epoch Commands System.

CZ-15 (12V)
Max.Winding Speed : 110m/min.
Max.Hoisting Power : 100kg(220lbs.)

CZ-15 (24V)
Max.Winding Speed : 120m/min.
Max.Hoisting Power : 110kg(242lbs.)

Electric Fishing Reel COMMAND Z-15 PAT.						
Model No.	Maximum Drag kg (lbs.)	Hoisting Power kg (lbs.)	Winding Speed m/min	Line Capacity PE Line/m	Reel Weight kg (lbs.)	Product code
CZ-15 (12V)	40 (88)~ 110 (242)	100 (220)	110	#10-2,000 #20-1,000 #12-1,600 #30- 700	5.7 (12.5)	0401
CZ-15 (24V)	40 (88)~ 110 (242)	110 (242)	120	#15-1,200		0402

MADE IN JAPAN



CZ-15

CZ-9(12V)
Max.Winding Speed : 110m/min
Max.Hoisting Power : 75kg(165lbs.)

CZ-9(24V)
Max.Winding Speed : 120m/min
Max.Hoisting Power : 110kg(242lbs.)

Electric Fishing Reel COMMAND Z-9 PAT.						
Model No.	Maximum Drag kg (lbs.)	Hoisting Power kg (lbs.)	Winding Speed m/min	Line Capacity PE Line/m	Reel Weight kg (lbs.)	Product code
CZ-9 (12V)	40(88)~ 110(242)	75(165)	110	#10-1,600 #12-1,400	5.2(11)	0431
CZ-9 (24V)	40(88)~ 110(242)	110(242)	120	#15- 900 #20- 800		0432

MADE IN JAPAN



CZ-9



CZ-9S

CZ-9S(12V)
Max.Winding Speed : 110m/min
Max.Hoisting Power : 75kg(165lbs.)

CZ-9S(24V)
Max.Winding Speed : 120m/min
Max.Hoisting Power : 110kg(242lbs.)

Electric Fishing Reel COMMAND Z-9s NEW PRODUCT PAT.						
Model No.	Maximum Drag kg (lbs.)	Hoisting Power kg (lbs.)	Winding Speed m/min	Line Capacity PE Line/m	Reel Weight kg (lbs.)	Product code
CZ-9S (12V)	40(88)~ 110(242)	75(165)	110	#10-1,600 #12-1,400	4.4 (9.7)	0433
CZ-9S (24V)	40(88)~ 110(242)	110(242)	120	#15- 900 #20- 800		0434

MADE IN JAPAN





AC-5SC

Product Description
Automatic Drag and Tension control systems, Preprogrammed Automatic or customize full Jigging functions, One touch Drag release, Touch Drag adjustmLever switches, Depth Memory feature, Zero stop at release position, Variable Speed Control Dial from 0 ~ 465 ft/min., Read fish pulling force, Reel weight 5.3 lb / 2.4 kg. Hold 600 yds. 100 lb. braided line(0.52mm dia.) Hoisting power up to 140 lb./ 64 kg.

AC-5SC(12V)
Max.Winding Speed : 150m/min.
Max.Hoisting Power : 64kg(141lbs.)

COMMAND AC-5sc

PAT.

Model No.	Maximum Drag kg (lbs.)	Hoisting Power kg (lbs.)	Winding Speed m/min	Line Capacity PE Line/m	Reel Weight kg (lbs.)	Product code
AC-5SC (12V)	20(44)~ 40(88)	64 (141)	150	#5-1,200 #10-600 #20-200 #6-1,000 #12-500 #8- 800 #15-300	2.4 (5.3)	0275

MADE IN JAPAN D.C. 12V ONLY



AC-3JP

AC-3JP(12V)
Max.Winding Speed : 150m/min.
Max.Hoisting Power : 43kg(94lbs.)

AC-3JP(24V)
Max.Winding Speed : 150m/min.
Max.Hoisting Power : 50kg(110lbs.)

COMMAND **AC-3JP** NEW PRODUCT PAT.

Model No.	Maximum Drag kg (lbs.)	Hoisting Power kg (lbs.)	Winding Speed m/min	Line Capacity PE Line/m	Reel Weight kg (lbs.)	Product code
AC-3JP (12V)	20(44)~ 30(66)	43(94)	150	#4-700m #8-400m #5-600m #10-300m	2.1 (4.6)	0255
AC-3JP (24V)	20(44)~ 30(66)	50(110)	150	#6-500m #12-200m		0256

MADE IN JAPAN



AC-3JPC

AC-3JPC(12V)
Max.Winding Speed : 150m/min.
Max.Hoisting Power : 55kg(121lbs.)

COMMAND **AC-3JPC** NEW PRODUCT PAT.

Model No.	Maximum Drag kg (lbs.)	Hoisting Power kg (lbs.)	Winding Speed m/min	Line Capacity PE Line/m	Reel Weight kg (lbs.)	Product code
AC-3JPC (12V)	20(44)~ 30(66)	55	150	#4-900 #8-550 #5-800 #10-450 #6-700 #12-350	1.7 (3.7)	0257

MADE IN JAPAN

D.C. 12V ONLY



AT-3S




AT-3S(12V)
Max.Winding Speed : 150m/min.
Max.Hoisting Power : 55kg(121lbs.)

COMMAND **AT-3s** PAT.

Model No.	Maximum Drag kg (lbs.)	Hoisting Power kg (lbs.)	Winding Speed m/min	Line Capacity PE Line/m	Reel Weight kg (lbs.)	Product code
AT-3S (12V)	20(44)~ 40(88)	55 (121)	150	#4-900 #8-550 #5-800 #10-450 #6-700 #12-350	1.7 (3.7)	0253

MADE IN JAPAN

D.C. 12V ONLY




TENSION ADJUSTER S

TENSION ADJUSTER S

Model : Tension Adjuster S
Product Cord : 4134



DEEP KING



PREMIUM GOLD




Power Butt GG

MAXIMUM POWER PREMIUM GOLD NEW PRODUCT

Model No.	Length (m)	Quantity of joint	Storage size (m)	Rod weight (g)	Tip diameter (mm)	Root diameter (mm)	Product code
PG215H	2.15	1	1.85	820	4.7	16.5	3686

MADE IN JAPAN



POWER FIGHTER DEEP KING NEW PRODUCT

Model No.	Length (m)	Quantity of joint	Storage size (m)	Rod weight (g)	Tip diameter (mm)	Root diameter (mm)	Product code
DK215H	2.15	1	1.85	1,080	4.5	15.5	3688

MADE IN JAPAN



V POWER MARIANA



VPOWER Mariana

Model No.	Length (m)	Quantity of joint	Storage size (m)	Rod weight (g)	Tip diameter (mm)	Root diameter (mm)	Product code
210VS	2.1	1	1.73	768	4.6	15.7	3007
210VL	2.1	1	1.73	866	5.4	21.8	3005
210VM	2.1	1	1.73	983	6.8	21.8	3006

MADE IN JAPAN



Heavy battler USHI SHIBI



PG HEAVY BATTLER *USHI SHIBI*

Model No.	Length (m)	Quantity of joint	Storage size (m)	Rod weight (g)	Tip diameter (mm)	Root diameter (mm)	Product code
80lb	2.14	1	1.63	1,550	8.5	25.0	3611

MADE IN JAPAN



Power batt III

Power fighter III



NEW ROD HOLDER MAXIMUM M

Model : New Rod Holder Maximum M
Product Cord : 1052



ROBOT ROD HOLDER

Model : Robot rod holder
Product Cord : 1008




Special Attention

The following special attention signs are for you and others to prevent any injuries or damages.

Warning : Possible for user to receive a serious injury.

Caution / Prohibition : Possible for user to receive a minor injury or cause damage to things.

Signs : Warning / Caution / Prohibition




Please make sure that there is no snapping off or shorting in the wire. It is possible for the wire to snap off or short after long use. May not be able to fish if you snap off the wire. Shorting of the wire will cause the wiring of the boat to burn and damage the battery or start a fire.



Plaes do not put heavy things on the power cord.



Please hold the plug head when pull out the cord from the reel.




Please hold the clamp section when you take out a cord from the power source. (Battery, etc.)



Plaese do not remodel the power cord.



Please take out the cord from the reel immediately when it does not work or when there is no indication on the display even after you connect it. If you leave the reel as it is, may cause damage or burn the motor.




Please be careful not to put your fingers between the spool and the line. Doing so may cut your fingers.



Please do not allow your fingers to come near Level Winder, doing so may cause injury to your fingers.



Please do not touch the fishing line when the line is going out at high speed. The line could cut your fingers.



Please do not touch the spool while it is spinning. You may be injured.



Please do not touch the motor housing after using the reel for a long time, it may be very hot.



Please do not use the reel for any other purpose than for fishing.



please do not soak the reel in water for no more than 30 seconds. It may cause water damage.



Please do not disassemble or attempt to remodel the reel in any way.

ITEMS	
PRODUCT CODE	
VOLTAGE	
LINE CAPACITY NEW DEEP SENSOR(PE)	#10
	#12
	#15
	#20
	#30
LINE CAPACITY NYLON LINE (lb/m)	80
	100
	120
MAXIXMUM DRAG	kg
HOISTING POWER	kg
WINDING SPEED (m/min)	
CURRENT CONSUMPTION	
REEL WEIGHT	

CZ-30		CZ-20		CZ-15		CZ-10HP		CZ-10SP		CZ-9		CZ-9S	
0421	0411	0412	0401	0402	0441	0442	0443	0444	0431	0432	0433	0434	
													
24V	12V	24V	12V	24V	12V	24V	12V	24V	12V	24V	12V	24V	
	2,000m		2,000m		1,600m		1,600m		1,600m		1,600m		
	1,600m		1,600m		1,400m		1,400m		1,400m		1,400m		
1,600m	1,200m		1,200m		900m		900m		900m		900m		
1,200m	1,000m		1,000m		800m		800m		800m		800m		
900m	700m		700m										
40~110	40~110		40~110		40~110		40~110		40~110		40~110		
120	110	115	100	110	110	115	110	115	75	110	75	110	
120	110	120	110	120	90	90	90	90	110	120	110	120	
0.8~12A	1.4~23A	0.9~12A	1.4~23A	0.9~12A	2.1~23A	1.1~12A	2.1~23A	1.1~12A	0.9~12A	0.6~10A	0.9~12A	0.6~10A	
6.3 kg	5.9 kg		5.7 kg		5.3 kg		5.3 kg		5.2 kg		4.4 kg		

ITEMS		AC-5SC
PRODUCT CODE		0275
VOLTAGE		12V
LINE CAPACITY NEW DEEP SENSOR(PE)	#4	
	#5	1,200m
	#6	1,000m
	#8	800m
	#10	600m
	#12	500m
	#15	300m
MAXIXMUM DRAG	kg	20~40
HOISTING POWER	kg	64
WINDING SPEED (m/min)		150
CURRENT CONSUMPTION		2.6~15A
REEL WEIGHT		2.4 kg

AC-3JPC	AC-3JP		AT-3S
0257	0255	0256	0253
12V	12V	24V	12V
900m	700m		900m
800m	600m		800m
700m	500m		700m
550m	400m		550m
450m	300m		450m
350m	200m		350m
20~30	20~30		20~40
55	43	50	55
150	150	150	150
2.6~15A	2.6~15A	1.3~12A	2.6~15A
2.1kg	2.1kg		1.7kg